



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

LUBREX FZC  
Hamriyah Free Zone  
42438 SHARJAH  
UNITED ARAB EMIRATES

T/P +49 711 17 24801  
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/  
Your reference  
22.04.2020

Unser Zeichen, unsere Nachricht vom/  
Our reference number  
RD/PMI-130426

Date  
28.08.2020

**MB-Approval Certificate** - Renewal Approval - Engine Oil - Reblend  
MB-Approval 228.3 for: „LUBREX MOMENTA NANO 15W40“  
Oil-Code: OR-F57648D-L, SAE-Grade: 15W-40

Reblend to OR-F57648D-L with Oil-Code: OR-F57648D-L,  
Upstream supplier: Chevron Oronite S.A.S.

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE  
<http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current “Obligations Regarding Approval for Operating Fluids” contract apply.
- Former MB-Approval Certificates for the aforementioned operating fluid are hereby rendered invalid.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely  
Mercedes-Benz AG

i.V. Ralf Krukenberg

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | [dialog.mb@daimler.com](mailto:dialog.mb@daimler.com) | [www.mercedes-benz.com](http://www.mercedes-benz.com)

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HBR-Nr./Commercial Register No.: 76 2873  
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Manfred Bischoff  
Vorstand/Board of Management: Ola Källenius, Vorsitzender/Chairman; Jörg Burzer, Renata Jungo Brüngger, Sajjad Khan, Sabine Kohleisen, Frank Lindenberg, Markus Schäfer, Britta Seeger



und Mercedes-Benz sind eingetragene Marken der Daimler AG, Stuttgart, Deutschland/ are registered trademarks of Daimler AG, Stuttgart, Germany.



Daimler AG - 70546 Stuttgart

LUBREX FZC  
 P.O. Box: 42438, Hamriyah Free Zone  
 SHARJAH  
 UNITED ARAB EMIRATES

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C651

Ihr Zeichen, Ihre Nachricht vom/ Your reference:	Unser Zeichen, unsere Nachricht vom/ Our reference	Name E-Mail	Datum/Date
07.10.2018	RD/PDI-F-98576	Mrs. Fuchs	05.11.2018

## MB-Approval Certificate

New Approval - Engine Oil

### MB-Approval 228.51 for: "LUBREX MOMENTA PLATINUM"

**Oil-Code: 92234, SAE-Grade: 10W-40**

Reblend to OR-F65778F-A with Oil-Code: OR-F65778F-A, Chevron Oronite S.A.S.

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.51 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely  
 Daimler AG

i.V. Johannes Leweux

i.V. Markus Paule





Daimler AG - 70546 Stuttgart

LUBREX FZC  
 Attn. Mr. Abbas Moniri  
 P.O. Box: 42438, Hamriyah Free Zone  
 SHARJAH  
 UNITED ARAB EMIRATES

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom/ Your reference	Unser Zeichen, unsere Nachricht vom/ Our reference	Name E-Mail	Datum/Date
29.06.2015	RD/PDI-F-56062	Mrs. Fuchs	17.09.2015

## MB-Approval Certificate

New Approval - Engine Oil

### MB-Approval 229.3 for: "LUBREX VELOCITY GX9 10W40"

**Oil-Code: 10482, SAE-Grade: 10W-40**

Reblend to OR-F55297F-C with Oil-Code: OR-F55297F-C, Chevron Oronite S.A.S.

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 16.09.2015 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely  
 Daimler AG

i.V. Fritz Kreitmann

i.V. Dr. Oliver Storz



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

LUBREX FZC  
Hamriyah Free Zone  
42438 SHARJAH  
UNITED ARAB EMIRATES

T/P +49 711 17 24801  
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/  
Your reference  
22.04.2020

Unser Zeichen, unsere Nachricht vom/  
Our reference number  
RD/PMI-130425

Date  
28.08.2020

**MB-Approval Certificate - Renewal Approval - Engine Oil - Reblend**

MB-Approval 229.3 for: „LUBREX VELOCITY NANO 5W-40“

Oil-Code: OR-F56000R-L, SAE-Grade: 5W-40

Reblend to OR-F56000R-L with Oil-Code: OR-F56000R-L,  
Upstream supplier: Chevron Oronite S.A.S.

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current “Obligations Regarding Approval for Operating Fluids” contract apply.
- Former MB-Approval Certificates for the aforementioned operating fluid are hereby rendered invalid.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely  
Mercedes-Benz AG

i.V. Fritz Kreitmann

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | [dialog.mb@daimler.com](mailto:dialog.mb@daimler.com) | [www.mercedes-benz.com](http://www.mercedes-benz.com)

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HBR-Nr./Commercial Register No.: 76 2873  
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Manfred Bischoff  
Vorstand/Board of Management: Ola Källenius, Vorsitzender/Chairman; Jörg Burzer, Renata Jungo Brüngger, Sajjad Khan, Sabine Kohleisen, Frank Lindenberg, Markus Schäfer, Britta Seeger



und Mercedes-Benz sind eingetragene Marken der Daimler AG, Stuttgart, Deutschland/ are registered trademarks of Daimler AG, Stuttgart, Germany.





Daimler AG - 70546 Stuttgart

LUBREX FZC  
 Attn. Mr. Abbas Moniri  
 P.O. Box: 42438, Hamriyah Free Zone  
 SHARJAH  
 UNITED ARAB EMIRATES

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C651

Ihr Zeichen, Ihre Nachricht vom/ Your reference	Unser Zeichen, unsere Nachricht vom/ Our reference	Name E-Mail	Datum/Date
20.12.2017	RD/PDI-F-87152	Mrs. Fuchs	18.04.2018

## MB-Approval Certificate

New Approval – Engine Oil

### MB-Approval 229.5 for: "LUBREX VELOCITY Nano Plus 5W-40"

**Oil-Code: 85026, SAE-Grade: 5W-40**

Reblend to OR-F60839R-E with Oil-Code: OR-F60839R-E, Chevron Oronite S.A.S.

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.5 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely  
 Daimler AG

i.V. Fritz Kreitmann

i.V. Markus Paule